

## TRFK PUBLICATIONS

1997

1. Anon. (1997). *Annual Report for the year 1997*. Tea Research Foundation of Kenya.
2. Bore, J.K. (1997). Tipping-in of mature tea. *TRFK Quart. Bull.* **2**(2), 8-9.
3. Bore, J.K.A. (1997). Composite tea plants: - Is there a future potential? *Tea*, **18**, 116-122.
4. M'Imwere, Z.K. (1997). Tea production in the smallholder sector in Kenya – Achievements, problems and prospects. *Tea* **18**, 75-86.
5. Mwakha, E. (1997). Tea pruning for yield improvement. *Tea*, **18**, 144-148.
6. Ngetich, W.K. (1997). Responses of tea to environment. *Tea*, **18**, 149-155.
7. Ngetich, W.K. (1997). Weather and tea yields. *Tea*, **18**, 3-4.
8. Ngetich, W.K. (1997). Weather and tea yields. *Tea*, **18**, 58-59.
9. Obanda, M., Owuor, P.O. (1997). Advances in understanding of the formation of non-volatile quality constituents during black tea fermentation process. *Tea* **18**, 194-204.
10. Obanda, M., Owuor, P.O., Bore, J.K. (1997). Effects of moisture loss and temperature of leaf during withering on black tea quality parameters. *Tea* **18**, 45-50.
11. Onsando, J.M. (1997). Armillaria root rot of tea management and challenges for the future. *Tea* **18**, 166-174.
12. Othieno, C. O., Wanyoko, J. K., Owuor, P. O., Lang'at, J. K. (1997). Effects of rates of Rock phosphate and triple super-phosphate fertilizers on soil leaf and yields of clonal replanted tea in Kericho, Kenya. *Tea* **18**, 32-41.
13. Otieno, W. (1997). Epidemiology and management of Hypoxylon wood rot of tea. *Tea* **18**, 175-183.
14. Owuor, P.O. (1997). Fertilizer use in tea: The case of nitrogen. *Tea* **18**, 132-143.
15. Owuor, P.O., Obanda, M. (1997). Advances in withering technologies and future strategies to cope with high tea production in Kenya. *Tea* **18**, 184-193.
16. Owuor, P.O., Obanda, M. (1997). Effects of leaf handling on plain black tea quality parameters. *Tea* **18**, 51-55.
17. Paul, S., Wachira, F.N., Powell, W., Waugh, R. (1997). Diversity and genetic differentiation among populations of Indian and Kenyan tea (*Camellia sinensis* (L.) O.Kuntze) revealed by AFLP markers *Theoretical and Applied Genetics* **94**, 255-263.
18. Seurei, P. (1997). Tea improvement in Kenya. Progress, constraints and prospects. *Tea* **18**, 87-100.
19. Seurei, P., Wachira, F.N., Njuguna, C.K. (1997). Cambod tea; Potential for commercial exploitation in Kenya. *Tea* **18**, 6-10.
20. Siele, D.K. (1997). Techno-human interface in transfer of technology. *Tea* **18**, 65-74.
21. Sudoi, V. (1997). Tea pests with special reference to mites: Research achievements and future thrusts. *Tea* **18**, 156-165.
22. Sudoi, V., Rotich, F. (1997). The rearing of hoverfly *Xanthogramma aegyptium* (Diptera: Syrphidae) for use as a biocontrol agent in controlling citrus aphids *Toxoptera aurantii* (Homoptera: Aphidae) in tea. *Tea* **18**, 42-44.
23. Wachira, F.N. (1997). Advances in tea genetics. *Tea* **18**, 101-115.

24. Wachira, F.N. (1997). Characterization and estimation of genetic relatedness among heterogeneous populations of commercial tea clones by random amplification of genomic DNA samples. *Tea* 18,11-20
25. Wachira, F.N., Muoki, R.C. (1997). Nucleolar and nucleolus organizer regions in tea as visualized by silver staining. *African Crop Science Journal* 5, 253 - 258.
26. Wachira, F.N., Powell, W., Waugh, R. (1997). An assessment of genetic diversity among *Camellia sinensis* L (cultivated tea) and its wild relatives based on randomly amplified polymorphic DNA and organelle specific STS. *Heredity* 78, 603-611.
27. Wachira, F.N. (1997). Advances in tea genetics. *Tea* 18, 105-115.
28. Wachira, F.N. (1997). *In vitro* multiplication of *Eucalyptus grandis*. *African Crop Science Journal* 5, 239 -252.
29. Wanyoko, J. K., Othieno, C. O., Mwakha, E., Cheruiyot, D. (1997). Effects of types and rates of nitrogen fertilizer on leaf nutrient contents of seedling tea in Nandi Hills, Kenya. *Tea* 18, 21-31.
30. Wanyoko, J.K. (1997). Advances in fertilizer use in Kenyan tea industry. *Tea* 18, 123-131.

1998

1. Anon. (1998). *Annual Report for the year 1998*. Tea Research Foundation of Kenya.
2. Bore, J.K., Ng'etich, W.K., Njuguna, C.K. (1998). Performance of clonal tea in rehabilitated and replanted fields. I. Yields *Tea* 19, 38-42.
3. Bore, J.K., Njuguna, C.K., Magambo, M.J.S. (1998). Effect of high plant population densities on harvest index and yields: Final report. *Tea*, 19, 66-70.
4. Kamau, D.M. (1998). Tea crop soil requirements: A healthy soil. *TRFK Quarterly Bulletin*, 3(1), 7.
5. Kamau, D.M., Owuor, P.O., Wanyoko, J.K. (1998). Economic analysis of nitrogen fertilizers in different tea cultivars east and west of the Rift. *Tea* 19, 27-37.
6. Kamau, D.M., Owuor, P.O., Wanyoko, J.K. (1998). Effects of rates and ratios of nitrogen and potash fertilizers on seedling tea at Kericho. I. Soil pH, soil available Ca, Mg and extractable Mn. *Tea* 19, 84-91.
7. Kamau, D.M., Owuor, P.O., Wanyoko, J.K. (1998). Influence of types and rates of nitrogenous fertilizers in tea production on some soil chemical properties. Paper presented at the *16th Soil Science Society of East Africa Conference*, Mkonge Hotel, Tanga, Tanzania, 13-19th December.
8. Kamau, D.M., Siele, D. K. A. (1998). Towards understanding smallholder tea farmers: Expectations and realities. *TRFK Quarterly Bulletin*, 3(3), 4-6.
9. Kamau, D.M., Wanyoko, J.K., Owuor, P.O. (1998). Effects of NPKS 25:5:5:5 fertilizer on soil pH, soil extractable bases and leaf K, Ca and Mg on tea at Kangaita, Mt Kenya. Paper presented at the *third Kenya Chemical Society Seminar*, University of Nairobi, 17-18<sup>th</sup> July 1998.
10. Kumar, R.R., Manivel, L. (1998). Phytohormones in relation to the formation of dormant buds in tea. *Tea* 19, 17-26.
11. Langat J. K., Otieno, W., Musau J.M. (1998). Evaluation of some Kenyan tea (*Camellia sinensis*) clones for resistance/susceptibility to *Pestalotiopsis theae*

- Sawada as influenced by some chemical attributes of mature green leaf. *Tea* 19, 6-8.
12. Ng'etich, W.K., Bore, J.K. (1998). Performance of clonal tea in rehabilitated and replanted fields. II: Effects of soil water deficits. *Tea* 19, 77-83.
  13. Ngetich, W.K. (1998). Weather and tea yields. *Tea* 19, 4-5.
  14. Ngetich, W.K. (1998). Weather and tea yields. *Tea* 19, 61-62.
  15. Obanda, M., Owuor, P.O., Kamanu, J.N. (1998). Effects of wither duration and fermentation aeration on black tea quality characteristics of tea produced in a commercial factory. *Tea* 19, 97-106.
  16. Omori, M., Kato, M., Tamura, T., Takada, T., Okinda, P.O., Obanda, M. (1998). Production of CTC gabaron black tea by modifying withering conditions. *Tea* 19, 92-96.
  17. Otieno, W. (1998). Armillaria, trichoderma interactions and management of Armillaria root rot of tea (*Camellia sinensis* (L.) Kuntze). *Tea* 19, 11-16.
  18. Owuor, P.O., Obanda, M. (1998). The use of chemical parameters as criteria for selecting for quality in clonal black tea in Kenya: Achievements, problems and prospects: A review. *Tea* 19, 49-58.
  19. Owuor, P.O., Wanyoko, J.K., Othieno, C.O. (1998). Potash and phosphorus fertilizers on black tea quality in the western Kenya highlands. *Tea* 19, 43-48.
  20. Seurei, P., Wachira, F.N., Obanda, M., Owuor, P. (1998). Breeding and Clonal selection: Preliminary results from a recent trial. *Tea* 19, 71-76.
  21. Sudoi, V. (1998). Evaluation of neem seed oil product for control of tea pests in Kenya. *Tea* 19, 62-65.

1999

1. Anon. (1999). *Annual Report for the year 1999*. Tea Research Foundation of Kenya.
2. Kamanu, J.N. (1999). The effect of moisture content of tea in a fluid bed drier on the quality of black tea in Kenya. *Tea* 20, 48-53.
3. Kamau, D.M. (1999). Long term response of mature seedling tea to rates and ratios of nitrogen and potash fertilizers in Kericho. Paper presented at the *17th Soil Science Society of East Africa Conference and Silver Jubilee celebrations*, Fairway Hotel, Kampala, Uganda. 6-10<sup>th</sup> September 1999.
4. Kamau, D.M., Owuor, P.O., Wanyoko, J.K. (1999). Effects of rates and ratios of nitrogen and potash fertilizers on seedling tea at Kericho. II. Yields. *Tea* 20, 30-36.
5. Kamau, D.M., Owuor, P.O., Wanyoko, J.K. (1999). Effects of rates and ratios of nitrogen and potash fertilizers on seedling tea at Kericho. III. Leaf nitrogen and potassium contents. *Tea* 20, 37-47.
6. Ng'etich, W.K., J.K. Bore and S.K. Misoi (1999). Effects of GA<sub>3</sub> on yield and components of yield in tea. *Tea* 20, 66-71.
7. Ngetich, W.K. (1999). Effects of different applied nitrogen rates on yields and plant survival during periods of water stress. *Tea* 20, 61-65.
8. Ngetich, W.K. (1999). Weather and tea yields. *Tea* 20, 2-3.
9. Ngetich, W.K. (1999). Weather and tea yields. *Tea* 20, 55-56.
10. Obanda, M., Owuor, P.O., Rutto, J.K. (1999). Relationship between chloroform test tea leaf flavanol composition polyphenol oxidase activity and the formation of black tea chemical quality parameters. *Tea* 20, 80-88.

11. Otieno, W. (1999). Competitive colonization of stem sections of tea by *Tricorderma* and *Armillaria* effects on viability of the pathogen. *Tea* 20, 76-79.
12. Owino-Gerroh, C., Keter, A., Mbuvi, J.P. (1999). Estimates of acidulated and unacidulated phosphorus sources for tea (*Camellia* spp.) grown in Kenya. *Tea* 20, 21-29.
13. Owuor, P.O., Obanda, M., Mclean, G., Kisinyo, P. (1999). Fermentability variations of popular clones from Nandi hills, Kenya. *Tea* 20, 5-11.
14. Seurei, P. (1999). Relationship between pruning height, yield and cumulative yields in young tea. *Tea* 20, 57-60.
15. Somchoudhury, S.A.K., Sarkar, P.K., Gupta, S.K. (1999). Evaluations of some pesticides for efficacy against tea red spider mite *Oligonychus coffeae* nietner and their adverse effects on natural enemies belonging to *amblyseius* ssp *agistemus* spp and *cunaxa* ssp in doors areas of west Bengal India. *Tea* 20, 12-20.
16. Sudoi, V. (1999). Evaluation of entomopathogenic fungus for control of tea weevil *Entypontrachelus meyeri micans* in Kenya: Preliminary indications. *Tea* 20, 72-75.
17. Wachira, F. N., Ngetich, W.K (1999). Dry matter production and partition in diploid, triploid and tetraploid tea. *Journal of Horticultural Science and Biotechnology* 74, 507-512.
18. Wachira, F.N. (1999). Looking into Tea Leaves: Kenya. In; Sharing Innovative Experiences Volume 1: Examples of Successful Initiatives in Science and Technology in the South. A publication of the Special Unit for Technical Corporation among Developing Countries, United Nations Development Programme, Third World Academy of Sciences, Third World Network of Scientific Organizations, pp 47-52.
19. Wachira, F.N., Njagi, G.D.E., Magambo, M.J.S. (1999). A comparative intraspecific karyotype analysis in some Kenyan tea cultivars (*Camellia sinensis* L.O. Kuntze). *Discovery and Innovation* 11(3/4), 199-206.
20. Wanyoko, J.K., Othieno, C.O. (1999). Effects of lime and Triple Superphosphate (tsp) on the growth of food crops under areas where old tea has been uprooted. *17<sup>th</sup> Conference and Silver jubilee of the Soil Science Society of East Africa* meeting at Kampala, Uganda, 6<sup>th</sup> to 10<sup>th</sup> September 1999.

2000

1. Anon. (2000). *Annual Report for the year 2000*. Tea Research Foundation of Kenya.
2. Bore, J.K. (2000). Grafted tea plants. *TRFK Quarterly Bulletin* 5(2): 8
3. Bore, J.K., Ngetich, W.K. (2000). Evaluation of alpha Naphthalene acetic acid ( $\alpha$ -NAA) as a promoter of rooting of tea cuttings. *Tea* 21, 71-75.
4. Bore, J.K., Ngetich, W.K. (2000). Mechanical harvesting of tea: 1. Yield and leaf standards. *Tea* 21, 19-23.
5. Hackett, C. A., Wachira, F.N., Paul, S., Powell, W., Waugh, R. (2000). Construction of a genetic linkage map for *Camellia sinensis* (tea). *Heredity* 85, 346-355.
6. Kamau, D.M. (2000). Fertilizer use in Tea: I. Rationale for NPK+S fertilizers. *TRFK Quarterly Bulletin*, 5(1), 7-8.

7. Kamau, D.M. (2000). Maintenance of guard rows in fertilizer field experiments. *Tea* 21, 5-8.
8. Kavoi, M.M., Owuor, P.O., Siele, D.K., Kilungo, J.K. (2000). Factors impeding tea production in smallholder sub sector of the Kenya tea industry. I. Green leaf supply. *Tea* 21, 28-34.
9. Kavoi, M.M., Owuor, P.O., Siele, D.K., Kilungo, J.K. (2000). Factors impeding tea production in smallholder sub sector of the Kenya tea industry. II. Allocative efficiency of farm inputs. *Tea* 21, 35-41.
10. Kavoi, M.M., Owuor, P.O., Siele, D.K., Oyugi, L.A. (2000). Factors impeding tea production in smallholder sub sector of the Kenya tea industry. III. Economic assessment of the enterprise. *Tea* 21, 42-46.
11. Koskey, J.K., Wachira, F.N. (2000). The use of plastid chloroplast count technique to determine ploidy levels in tea. *Tea* 21, 15-18.
12. Magoma, G., Wachira, F.N., Obanda, M., Imbuga, M., Agong, S.G. (2000). The use of catechins as Biochemical markers in diversity studies of tea (*Camellia sinensis*). *Genetic Resources and Crop Evolution* 47, 107-114.
13. Ngetich, W.K. (2000). Weather and tea yields. *Tea* 21, 3-4.
14. Ngetich, W.K. (2000). Weather and tea yields. *Tea* 21, 60-61.
15. Ng'etich, W.K., Bore, J.K. (2000). Mechanical harvesting of tea: II. Effects on soil physical properties. *Tea* 21, 24-27
16. Ng'etich, W.K., J.K. Bore and S.K. Misoi (2000). Effects of GA<sub>3</sub> on yield and components of yield in tea. *TRFK Quarterly Bulletin* 5(3), 5-6.
17. Nyanga, A.W., Simbua, E.F., Ndamugomba, D.M. (2000). Constraints for improving profitability of smallholder tea production in Tanzania: Potential roles for research. *Tea* 21, 47-58.
18. Owuor, P.O., Kavoi, M.M., Siele, D.K. (2000). Factors impeding tea production in smallholder sub sector of the Kenya tea industry. An assessment of extension staff awareness of existing technologies. *Tea* 21, 101-110.
19. Owuor, P.O., Kavoi, M.M., Siele, D.K. (2000). Factors impeding tea production in smallholder sub sector of the Kenya tea industry. An assessment of farmers awareness and adoption levels of technologies. *Tea* 21, 111-122.
20. Owuor, P.O., Obanda, M. (2000). Towards establishment of shelf life of tea. *Tea* 21, 9-14.
21. Owuor, P.O., Otieno, W., Othieno, C.O. (2000). Inhibition of seed germination and radical growth of lettuce by water extracts of tea leaves. *Tea* 21, 62-65.
22. Wachira, F. N. (2000). Molecular markers: New tools for an old science: The case of tea. *African Journal of Science and Technology (Science and Engineering Series)* 1, 1-9.
23. Wachira, F.N. (2000). Intellectual Property Rights (IPRs): What effect to the tea industry. *TRFK Quarterly Bulletin*, 5(4), 5-10.
24. Wanyoko, J. K., Taerum, A. S., Owuor, P. O. (2000). Chlorophyll meter use on field grown tea: The optimum leaf age and measuring position on a leaf blade. *Tea* 21, 66-70.

1. Anon. (2001). *Annual Report for the year 2001*. Tea Research Foundation of Kenya.
2. Bore, J.K., Ng'etich, W.K. (2001). Effects of Ergostim on tea plant recovery from drought. *Tea 22*, 74-78.
3. Kamanu, J.N. (2001). The effect of drier temperatures on the quality of tea in a fluid bed drier in Kenya. *Tea 22*, 29-37.
4. Kamau, D.M., Owuor, P.O., Wanyoko, J.K. (2001). Split application of nitrogen fertilizer rates in two tea cultivars grown in the eastern and western highlands of Kenya. I. Confirmatory results on yield effects. *Tea 22*, 76-85.
5. Magoma, G.N., Wachira, F.N., Obanda, M. (2001). The catechin diversity and pharmacological potential inherent in Kenyan tea. *Tea 22*, 83-93.
6. Mamati, G.E. (2001). Tea: Trends of improvement in Kenya. *Tea 22*, 125-130.
7. Mamati, G.E., Wachira, F.N., Njuguna, C.K. (2001). 2001 TRFK released clones. *Tea 22*, 6-7.
8. Mondal, J.K., Bhattacharyai, A., Sood, A., Ahuja, S. (2001). Factors affecting induction and cold storage of encapsulated tea (*Camellia sinensis* (L) O. Kuntze) somatic embryos. *Tea 22*, 92-100.
9. Ngetich, W.K. (2001). Weather and tea yields. *Tea 22*, 4-5.
10. Ngetich, W.K. (2001). Weather and tea yields. *Tea 22*, 72-73.
11. Ng'etich, W.K., Bore, J.K. (2001). The effect of brassinolides (Plant Growth Regulators) on yield and yield attributes of clonal tea (*Camellia sinensis*). *Tea 22*(1): 8-12.
12. Obanda, M., Owuor, P.O., Rutto, J.K. (1999). Relationship between chloroform test tea leaf flavanol composition polyphenol oxidase activity and the formation of black tea chemical quality parameters. *Tea 20*, 80-88.
13. Othieno, C.O., Owuor, P.O. (2001). Spectrophotometric measurements of black tea pigments, total vcolour and brightness and their correlation to tasters assessment of black tea liquor. *Tea 22*, 20-28.
14. Owuor, P.O., Kavoi, M.M., Siele, D.K. (2001). Economic efficiency in smallholder tea production in Kenya: The case of Kirinyaga, Nyabene, Nandi and Nyamira districts. *Tea 22*, 38-50.
15. Owuor, P.O., Kavoi, M.M., Siele, D.K. (2001). Relative efficiency of the smallholder farms factory clusters in Nyabene district, Kenya. *Tea 22*, 51-55.
16. Owuor, P.O., Kavoi, M.M., Siele, D.K. (2001). Differentiation of small "micro" tea farms in the smallholder tea sub-sector in Kenya: A case study of relative efficiency. *Tea 22*, 56-69.
17. Owuor, P.O., Kavoi, M.M., Siele, D.K. (2001). Socio-economic analysis of chemical inputs in the smallholder sub sector in Kenya: A qualitative study on extension service knowledge and farm adoption levels. *Tea 22*, 94-102.
18. Owuor, P.O., Kavoi, M.M., Siele, D.K. (2001). Economic efficiency analysis of factory farm clusters in smallholder tea production in Kenya: A case study of Nyamira district. *Tea 22*, 103-109.
19. Owuor, P.O., Kavoi, M.M., Siele, D.K. (2001). Policy factors influencing smallholder tea production in Kenya: I. A socio-economic analysis on extension staff. *Tea 22*, 110-116.
20. Owuor, P.O., Kavoi, M.M., Siele, D.K. (2001). Policy factors influencing smallholder tea production in Kenya: II. A socio-economic analysis on smallholder farmers. *Tea 22*, 117-124.

21. Sudoi, V., Bii K.V., Langat J.K. (2001). The efficacy of petroleum oil (Murphoil) and neem seed oil product (Achook) sprays on mortality scale insects (*Aspidiotus* sp) on tea: preliminary indications. *Tea* 22, 79-82.
22. Sudoi, V., Wanyoko, J.K., Owuor, P.O., Langat J.K. (2001). Prospects for NPKS 25:5:5:5 fertilizer as a component of *Brevipalpus phoenics* geiskes (*Acari tenuipalpidae*) mite pest management. *Tea* 22, 13-19.
23. Wachira, F.N., Tanaka, J., Takeda, Y. (2001). Genetic variation and differentiation in tea (*Camellia sinensis*) germplasm revealed by RAPD and AFLP variation. *Journal of Horticultural Science and Biotechnology* 76, 557-563.

2002

1. Anon. (2002). *Annual Report for the year 2002*. Tea Research Foundation of Kenya.
2. Bore, J.K., Isutsa, D.K., Itulya, F.M., Ng'etich, W.K. (2002). Effect of time of pruning and lungs on Non-structural carbohydrates of tea (*Camellia sinensis* L.). *Tea* 23, 12-21.
3. Kamau, D.M. (2002). Magnesium nutrition and dynamics in tea agroecosystems. *Tea* 23, 5-11.
4. Kavoi, M.M., Owuor, P.O., Siele, D.K. (2002). Differentiation of agro-ecological zones among smallholder tea producers in Kirinyaga, Nyabene, Nandi, and Nyamira districts: A case study of relative efficiency. *Tea* 23, 29-36.
5. Kavoi, M.M., Owuor, P.O., Siele, D.K. (2002). Socio economic factors influencing productivity levels of tea in Kenya: A probit analysis of smallholder sub sector. *Tea* 23, 72-80.
6. Mamati, G.E., Wachira, F.N., Njuguna, C.K. (2002). Clonal tea evaluation for potential as new cultivars in the TRFK plant improvement programme: Preliminary results. *Tea* 23, 54-61.
7. Ngetich, W.K. (2002). Weather and tea yields. *Tea* 23, 2-3.
8. Ngetich, W.K. (2002). Weather and tea yields. *Tea* 23, 52-53.
9. Obanda, M., Owuor, P.O., Wekesa, H. (2002). The influence of clone and plucking standards on the formation of black tea chemical and sensory parameters. *Tea* 23, 81-90.
10. Owuor, P.O., Kavoi, M.M., Siele, D.K. (2002). Socio-economic assessment of tea technical knowledge of the extension staff in Kenya: A case study of Kirinyaga, Nyabene, Nandi, and Nyamira districts. *Tea* 23, 37-49.
11. Owuor, P.O., Kavoi, M.M., Siele, D.K. (2002). Socio-economic assessment of agronomic tea production technologies among smallholders in Kenya: The case study of Kirinyaga, Nyabene, Nandi, and Nyamira districts. *Tea* 23, 50-72.
12. Sudoi, V., Koske, S.K., Langat J.K. (2002). Managing tea pests using petroleum oil spray: I. Scale insects (*Ceroplastes* spp). *Tea* 23, 68-71.
13. Talam, D.K., Otieno, W. (2002). Temperature relations in *armillaria* spp associated with root rot of tea in Kenya: Implications in disease management by solar solarization. *Tea* 23, 22-28.

14. Wachira, F.N. (2002). Detection of genetic diversity and characterization of Kenyan tea germplasm. A Tea Genetic Diversity (TGD) Project. *TGD Final Project Document*, Kericho, Kenya.
15. Wachira, F.N. (2002). Genetic mapping of tea: A review of achievements and opportunities. *Tea* 23, 91-102.
16. Wachira, F.N., Nge'tich, W.K., Omolo, J., Mamati, G.E. (2002). Genotype X environment interactions for tea yields. *Euphytica* 127, 289-296.
17. Wanyoko, J.K. (2002). Quantification of fine root density of mature tea: Preliminary observations/indications. *Tea* 23, 62-67.

2003

1. Anon. (2003). *Annual Report for the year 2003*. Tea Research Foundation of Kenya.
2. Bore, J.K. (2003). Effect of pruning machine on recovery and yield of tea. *Tea* 24, 62-64.
3. Bore, J.K., Isutsa, D.K., Itulya, F.M., Ng'etich, W.K. (2003). Effect of pruning time and resting period on Total Non-structural carbohydrates, regrowth and yield of tea (*Camellia sinensis* L.). *Jour. Hort. Sci. and Biotechnology* 78, 272-277.
4. John, K.M.M., Sasikumar, R., Balasubramaniam, M., Saravanan, M., Raj-Kumar, R. (2003). Influence of light on catechin biosynthesis. *Tea* 24, 80-86.
5. Kamanu, J.N. (2003). The effect of keeping quality of black tea fired to different moisture content levels in a fluid bed drier in Kenya. *Tea* 24, 21-28.
6. Kamau, D.M. (2003). Long term effects of NPK(S) fertilizers on the yields, nutrient uptake and soil chemical properties of clone S15/10 tea in Kericho, Kenya. Paper presented 21<sup>st</sup> Soil Sci. Soc. E. A. Conference, Eldoret, 1- 5<sup>th</sup> December 2003.
7. Kamau, D.M., Owuor, P.O., Wanyoko, J.K. (2003). Long term effects of rates and types of nitrogenous fertilizers in high yielding clone AHP S15/10 on: I. Yields and nutrient uptake. *Tea* 24, 14-20.
8. Kamunya, S.M. (2003). Tea Improvement: Strides, constraints & opportunities. *Tea* 24, 44-55.
9. Kamunya, S.M., Wachira, F.N. (2003). Alternative means for rapid multiplication of tea: Use of shoots in tea propagation - Preliminary indications. *Tea* 24, 66-68
10. Kamunya, S.M., Wachira, F.N., Ng'etich, W.K. (2003). Use of alternative artificial shading material in a tea nursery. *Tea* 24, 63-65
11. Kamunya, S.M., Wachira, F.N., Rotich, S., Wanyoko, J.K. (2003). Clonal tea response to varying rooting media. *Tea* 24, 52-62
12. Magoma, G.N., Wachira, F.N., Imbuga, M., Agong, S. (2003). Biochemical differentiation in *Camellia sinensis* and its wild relatives as revealed by isozyme and catechin patterns. *Biochemical Systematics and Ecology* 31, 995-1010.
13. Mamati, G.E., Wachira, F.N., Kamunya, S.M. (2003). New tea cultivars in the offing! *TRFK Quarterly Bulletin* 8(1), 2-3.
14. Ng'etich, W.K., Wachira, F.N. (2003). Variations in leaf anatomy and gas exchange in tea clones with different ploidy. *Journal of Horticultural Science and Biotechnology* 78(2), 172-176.
15. Ngetich, W.K. (2003). Tea plant responses to environment: A review. *Tea* 24, 29-37.
16. Ngetich, W.K. (2003). Weather and tea yields. *Tea* 24, 2-3.



17. Ngetich, W.K. (2003). Weather and tea yields. *Tea* 24, 50-51.
18. Otieno, W. (2003). Integrated management of *Hypoxylon* wood rot of tea (*Camellia sinensis* L. (O) Kuntze). The components and application. *Tea* 24, 4-13.
19. Wanyoko, J.K. (2003). Quantification of fine root density of mature tea preliminary: observations/indications. *Tea* 23 (2), 62-67.
20. Wanyoko, J.K., Otieno, W. (2003). Effect of liming and application of triple superphosphate on growth and nodulation of *rhizobium leguminosorum* biovar *phaseoli* on common bean (*phaseolus vulgaris* L.) in soils of old tea lands. *21<sup>st</sup> Annual Conference of the Soil Science Society of East Africa meeting at, Eldoret, Kenya, 1<sup>st</sup> to 5<sup>th</sup> December 2003.*
21. Wanyoko, J.K., Owuor, P.O., Amuyunzu, P. (2003). Boron Studies in Tea - I. Leaf analysis. *Tea* 24, 74-79.

#### 2004

1. Anon. (2004). *Annual Report for the year 2004*. Tea Research Foundation of Kenya.
2. Chakraborty, U., Chakraborty, B.N., Tongden, C., Roychowdhury, P., Basnet, M. (2004). Assessment of tea rhizosphere microorganisms as plant growth promoters. *Tea* 25, 38-47.
3. Kamau, D.M. (2004). Effect of urea on nitrogen mineralization in differently aged acid tea soils during aerobic incubation. Paper presented at the 22<sup>nd</sup> Soil Science Society of East Africa Conference, Arusha, Tanzania, 29<sup>th</sup> Nov- 4<sup>th</sup> Dec 2004.
4. Kamau, D.M., Owuor, P.O., Wanyoko, J.K. (2004). Long term effects of rates and types of nitrogenous fertilizers in high yielding clone AHP S15/10 on: II. Available soil sulphur. *Tea* 25, 32-37.
5. Kamunya, S.M., Wachira, F.N., Muoki, R.C. (2004). Evaluation of newly developed clones of tea (*Camellia sinensis* (L.) O. Kuntze) for yields, drought tolerance and quality: Preliminary indications. *Tea* 25, 12-19.
6. Ngetich, W.K. (2004). Weather and tea yields. *Tea* 25, 2-3.
7. Sudoi, V. (2004). Strategies for control of red crevice mite (*Brevipalpus phoenicis* Geijskes) on tea. *Tea* 25, 20-23.
8. Wachira, F.N., Wanyoko, J.K., Ng'etich, W.K., Bore, J., Makokha, M. (2004) Evaluation and terminal reports of selected experiments at the Tea Research Institute of Tanzania (TRIT). *A Consultancy Report for the Tea Research Institute of Tanzania (TRIT)*.
9. Wachira, F.N., Wanyoko, J.K., Ng'etich, W.K., Bore, J.K., Makokha, M. (2004). Evaluation and terminal reports of selected experiments at the Tea Research Institute of Tanzania (TRIT), 54 pg.
10. Wachira, F.N., Kamunya, S.M. (2004). Performance of single leaf cuttings of tea under artificial shading materials of different shade intensities. *Tea* 25, 8-11.
11. Wachira, F.N., Kamunya, S.M. (2004). Preliminary observations on inheritance of yield and some physiological traits in tea. *Tea* 25, 24-31.
12. Wachira, F.N., Kamunya, S.M. (2004). The effect of different soil potting containers on rooting of tea cuttings: Preliminary indications. *Tea* 25, 4-7.

#### 2005

1. Anon. (2005). *Annual Report for the year 2005*. Tea Research Foundation of Kenya.
2. Bore, J.K. (2005). Effect of intercrops on yields of young tea. *Tea* 26, 57-70.
3. Bore, J.K., Ng'etich W.K. (2005). Effect of double hedgerow spacing on tea yields and yield components. *Tea* 26, 46-51
4. Kamau, D.M., Owuor, P.O., Wanyoko, J.K. (2005). Mature leaf nutrient levels as a diagnostic tool for making fertilizer recommendations in mature tea: The case of clone BBK 35. *Tea* 26, 57-68.
5. Kamunya, S.M., Wachira, F.N. (2005). Performance of tea shoots propagated under varying rooting media and acclimatization regimes. *Tea* 26, 81-89.
6. Mwaura, F., Nyabundi, K., Moku, O. (2005). Situation analysis of the small scale tea growers and their contribution at the local auction market in Kenya. *Tea* 26, 35-45.
7. Ngetich, W.K. (2005). Weather and tea yields. *Tea* 26, 33-34.
8. Wachira, F.N. (2005). Kenya: An important tea producer. *Ryokucha* (World Green Tea Association Bulletin) 16: 37-40. (In English with Japanese Translation).
9. Wachira, F.N., Ronno, W. (2005). Tea research along value chains: Constraints and potential areas of inter-institutional collaboration. *Tea* 26, 19-31.
10. Wachira, F.N., Kamunya, S.M. (2005) Pseudo-self incompatibility in some tea clones (*Camellia sinensis* (L) O. Kuntze. *Horticultural Science & Biotechnology*. 80 (6), 716-720.
11. Wachira, F.N., Kamunya, S.M. (2005). Kenyan teas are rich in antioxidants. *Tea* 26, 81-89.

2006

- 1.
2. Anon. (2006). *Annual Report for the year 2006*. Tea Research Foundation of Kenya.
3. Bore, J.K., Ndung'u, C.K., Kahangi, E.M., Ng'etich, W.K., Wachira, F.N. (2006). Effects of seasons and rootstocks of different ploidy on scion shoot development, population density and composition. *Tea* 27, 21-32.
4. Bore, J.K., Ndung'u, C.K., Kahangi, E.M., Ng'etich, W.K., Wachira, F.N. (2006). Effect of seasons and rootstocks of different ploidy on scion shoot development, population density and composition. *Tea* 27, 19-31.
5. Kamunya, S.M., Wachira, F.N. (2006). Two new clones (TRFK 371/3 and TRFK 430/90) released for commercial use. *Tea* 27, 4-16.
6. Ng'etich, W.K. (2006). Weather and tea yields. *Tea* 27, 2-3.
7. Ng'etich, W.K., Bore, J.K., Cheserek, B. (2006). Biotic and abiotic factors affecting tea: A review. *Tea* 27, 33-39.
8. Ng'etich, W.K., Bore, J.K., Matara, G., Cheserek, B. (2006). Effect of shade and nitrogen levels on hydraulic conductivity of tea (*Camellia sinensis*) soils at Timbilil estate *Tea* 27, 17-20.
9. Ng'etich, W.K., Bore, J.K., Cheserek, B. (2006). Biotic and abiotic factors affecting tea: A Review. *Tea* 27, 32- 37.
10. Wachira, F.N., Kamunya, S.M., Ronno, W.K. (2006). TRFK Clonal Catalogue (1<sup>st</sup> Ed.). Tea Research Foundation of Kenya.

2007

1. Anon. *Annual Report for the year 2007*. Tea Research Foundation of Kenya.
2. Bore, J.K. (2007). Weather and tea yields. *Tea* 28, 2-3.
3. Bore, J.K., Ng'etich, W.K. (2007). Influence of kelp based plant growth stimulants on nursery tea seedlings. *Tea* 28, 4-9.
4. Cheruiyot, E.K., Mumera, L.M., Ng'etich, W.K., Hassanali, A., Wachira, F.N. (2007). Polyphenols as potential indicators for drought tolerance in tea (*Camellia sinensis* L.). *Bioscience, Biochemistry and Biotechnology* 71, 2190-2197.
5. Kamau, D.M. (2007). Confounding factors affecting the growth and production of ageing tea agro-ecosystems: A review. *Tea* 28, 30-44.
6. Kamau, D.M. (2007) Productivity and resource use in ageing tea plantations. *PhD thesis*, Wageningen University, The Netherlands. 140 pp.
7. Kamunya, S.M., Muoki, R.C., Pathak, R.S., Wachira, F.N. (2007). Combining abilities for yield, drought tolerance and quality traits in tea (*Camellia sinensis* (L.) O. Kuntze). *Tea* 28, 10-19.
8. Kamunya, S.M., Muoki, R.C., Wachira, F.N., Pathak, R.S. (2007). Inheritance of yield, drought tolerance and quality traits in tea (*Camellia sinensis* (L.) O. Kuntze). *Tea* 28, 20-29.
9. Karori, S.M., Wachira, F.N., Wanyoko, J.K., Ngure, R.M. (2007). Antioxidant capacity of diiferent types of tea products. *African Journal of Biotechnology* vol. 6 (19), 2287-2296.
10. Muoki, R.C., Kamunya, S.M., Wachira, F.N., Pathak, R.S. (2007). Comparison of molecular markers in estimation of mating parameters in *Camellia sinensis* biclonal seed orchards. *Tea* 28, 45-51.
11. Muoki, R.C., Wachira, F.N., Pathak, R.S., Kamunya, S.M. (2007). Assessment of mating system of *Camellia sinensis* in biclonal seed orchards based on PCR markers. *Journal of Horticultural Science and Biotechnology* 82(5), 733-738.
12. Owuor, P.O., Kavoi, M.M., Wachira, F.N., Ogola, S.O. (2007). Sustainability of small holder tea growing in Kenya. A country Report. *International Journal of Tea Science* 6, 1-23.
13. Owuor, P.O., Wachira, F.N., Obanda, M., Waller, G.R. (2007). Effects of caffeine on *in-vitro* growth of tea. *Journal of Plantation Crops* 35, 36-38.

2008

1. Anon. *Annual Report for the year 2008*. Tea Research Foundation of Kenya.
2. Bore, J.K. (2008). Weather and tea yields. *Tea* 29, 1-2.
3. Bore, J.K. (2008). Weather and tea yields. *Tea* 29, 57-58.
4. Cheruiyot, E.K., Mumera, L.M., Ng'etich, W.K., Hassanali, A., Wachira, F.N. (2008). Threshold soil water content for growth of tea [*Camellia sinensis* (L.) O. Kuntze]. *Tea* 29, 92-104.
5. Cheruiyot, E.K.; Mumera, L.M.; Ng'etich, W.K.; Hassanali, A.; Wachira, F.N., Wanyoko, J.K. (2008). Shoot epicatechin and epigallocatechin contents

- respond to water stress in tea (*Camellia sinensis* (L.) O. Kuntze). *Bioscience, Biochemistry and Biotechnology* 72, 1219-1226
6. Kamau, D.M. (2008). Understanding smallholder tea farmers: Closing the loop between expectations and realities. *Tea* 29, 87-91.
  7. Kamau, D.M., Spiertz, J.H.J., Oenema, O. (2008). Carbon and nutrient stocks of tea plantations differing in age, genotype and plant population density. *Plant & Soil* 307, 29-39.
  8. Kamau, D.M., Spiertz, J.H.J., Oenema, O., Owuor, P.O. (2008) Productivity and nitrogen use of tea in relation to plant age and genotype. *Field Crops Research* 108, 60-70.
  9. Kamau, D.M., Wanyoko, J.K., Otieno, W. (2008). The use of Brimstone 90® in rehabilitation of hutsites for good tea establishment and growth: 3 case studies. *Tea* 29, 3-15.
  10. Kamau, D.M., Wanyoko, J.K., Owuor, P.O., Ng'etich, W.K. (2008). NPK(S) fertilizer use in commercially cultivated clone BBK 35 in different tea growing regions of Kenya: I. Experimental design and initial soil chemical properties. *Tea* 29, 39-45.
  11. Kamau, D.M., Wanyoko, J.K., Owuor, P.O., Ng'etich, W.K. (2008). NPK(S) fertilizer use in commercially cultivated clone BBK 35 in different tea growing regions of Kenya: II. Effects of nitrogen rates and plucking intervals on soil chemical properties. *Tea* 29, 67-78.
  12. Kamunya, S.M., J.K. Lang'at, Muoki, R.C., Nyabundi, K.W., Wachira, F.N., Otieno, W., Sudoi, V. (2008). Performance of tea clones established in root knot nematode host spots under varying treatment regimes. *Tea* 29, 16-27.
  13. Kamunya, S.M., Wachira, F.N., Lang'at, J.K., Sudoi, V., Otieno, W. (2008). Integrated Management of root knot nematode in tea (*Camellia sinensis*) in Kenya. *International Journal of Pest Management* 54(2), 129-136.
  14. Karori, S.M., Ngure, R.M., Wachira, F.N., Wanyoko, J.K., Ngugi, J.M. (2008). Different types of tea products attenuate chronic inflammation induced in *Trypanosome brucei* infected mice. *Parasitology International* 57, 325–333
  15. Moku, O., Mwaura, F.M., Nyabundi, K., Ateka, J. (2008). Incorporating farmers' characteristics and aspirations in poverty reduction strategies among tea smallholders in Kenya. *Tea* 29, 29-38.
  16. Mutai, R. (2008). Recent research achievements in tea disease management. *Tea* 29, 46-56.
  17. Mwaura, F.M., Moku, O., Marangu, D., Towett, E., Otieno, D. (2008). Technological and socio-economics factors affecting tea productivity among smallholders in Imenti and Kapkoros. *Tea* 29, 79-86.
  18. Owuor, P.O., Othieno, C.O., Kamau, D.M., Wanyoko, J.K., Ng'etich, W.K. (2008). Effects of long term fertilizer use on a high yielding clone S15/10: Yields. *International Journal of Tea Science* 7, 19-31.
  19. Tuwei, G.K. (2008). MRTM1 – a high yielding and drought tolerant tea clone from Unilever Tea Kenya. *Tea* 29, 57-58.

2009

1. Cheramgoi, E., Sudoi, V., Langat, J., Aomah, O.S. (2009). Preliminary studies of tea mosquito bug (*Helopeltis schuotedeni* reuter) feeding preference on tea

- shoots (*Camellia sinensis* Kutze) in Kenya. Paper presented at the 5<sup>th</sup> Annual International Conference, 4-8<sup>th</sup> August 2009, Moi University, Eldoret.
2. Cheruiyot, E.K.; Mumera, L.M.; Ng'etich, W.K.; Hassanali, A.; Wachira, F.N. (2009) High fertilizer rates increase susceptibility of tea to water stress. *Journal of Plant Nutrition* 33,115-129.
  3. Cheruiyot, E.K.; Mumera, L.M.; Ng'etich, W.K.; Hassanali, A.; Wachira, F.N. (2009) High fertilizer rates increase susceptibility of tea to water stress. *Journal of Plant Nutrition* 33, 115-129.
  4. Kamunya, S. (2009). Diversification: Research yields Purple tea. *Tea News* 2, 15. Tea Board of Kenya.
  5. Kamunya, S. (2009). Scientists put a smile on farmers' faces. *Tea News* 1, 14. Tea Board of Kenya.
  6. Kamunya, S.M., F.N. Wachira, R.S. Pathak, R.C. Muoki, J.K., Wanyoko, W.K., Ronno, Sharma, R.K. (2009). Quantitative genetic parameters in tea (*Camellia sinensis* (L.) O. Kuntze): I. Combining abilities for Yield, Drought Tolerance and Quality Traits. *African Journal of Plant Science*, 3(5), 93-101.
  7. Kiprono, K.P., Wanyoko, J.K., Othieno, C.O., Owuor, P.O. (2009). Economic of nitrogen use in tea. Paper presented at the 5<sup>th</sup> Annual International Conference, 4-8<sup>th</sup> August 2009, Moi University, Eldoret.
  8. Ngunjiri, F.M., Wanyoko, J.K., Mahungu, S.M., Shitandi, A.A. (2009). Catechins depletion patterns in relation to theaflavins and thearubigins formation. *Food Chemistry* 115, 8-14.
  9. Nyabundi, K.W. (2009). Nursery performance of different tea shoot types. Paper presented at the 5<sup>th</sup> Annual International Conference, 4-8<sup>th</sup> August 2009, Moi University, Eldoret.
  10. Owuor, P.O., Kamau, D.M., Jondiko, E.O. (2009). Response of clonal plain black tea quality parameters and yields to geographical region of production and plucking frequencies. *Food Chemistry* 115, 290-296.

2010

1. Owuor, P.O.; Wachira, F.N.; Ng'etich, W.K. (2010). Influence of region of production on relative clonal plain tea quality parameters in Kenya. *Food Chemistry* 119, 1168-1174.